



**WOOD  
SOLUTIONS**

**WOOD FINISHES**



**advance** **HT**





## WOOD SOLUTIONS

Wood is one of the finest material, elegant and versatile, but also one of the most expensive. In order to enjoy a lifetime of an intact and functional wood, a proper and continuous maintenance is required.

### FEATURES AND BENEFITS



EXCELLENT  
UV RESISTANCE

The main function of a primer is to protect wood from external agents. Sunrays are the element which impacts the most on wood aging.

**Our wood stain line Wood Solutions contains the best known UV filters, ensuring excellent resistance to UV rays for long time.**



PLUS  
WITH WATER  
REPELLANT WAX

Product range is enriched with **PLUS** version, containing water repellent waxes, **granting a greater resistance to water and weathering**, especially in high humidity environments.



QUICK AND EASY  
TO APPLY

The ease of application is essential to obtain a good result of protection and renewal of the surface.

New wood stain formulations are designed to ensure **rapid application, precise and without smudging**, thus improving yields and reducing the duration of work



LONG LASTING  
NATURAL LOOK

Revitalizing and ensuring over time natural wood look is another primary feature.

After the application of Wood Solutions products, a **matt effect is achieved, sign of good penetration** of the primer into the support.



## **WOOD WHITE** code 0870



Water based finishing wood stain, in white colour with matt effect. It is perfect to be applied on any type of indoor wood, both as wood stain primer and as a decorative. It can be even used on outdoor structures, provided they are protected from atmospheric events.

White pigment gives the product an opaque effect, highlighting wood natural grain.

It can be applied directly on the wood in two hands for a more opaque effect, or applied in a single coat and then sanded and finished with transparent water based varnish, to obtain a bleached effect.



**10-12 m<sup>2</sup>/l**



**brush  
application**



**recoatable  
after 3 hours**

### WHITE COLOUR

PRODUCT	code	colour
 <b>WOOD WHITE</b> Code 0870	1015	WHITE



**Directly applied for  
covering effect**



**Bleached effect with  
visible grain if sanded  
and painted**



# WATER BASED WOOD SOLUTIONS

## NATUR WOOD code 0869



Water based wood stain, **odourless**, with **UV filter** to protect wood from sunlight and weathering. Its **oily appearance** allows a precise application, without smudging, for perfect results.

**UV PROTECTION**



10-12 m<sup>2</sup>/l



**brush application**



**recoatable after 3 hours**

## NATUR WOOD PLUS code 0814



Water based wood stain, **odourless**, with **UV filter** to protect wood from sunlight and weathering. Its **oily appearance** allows a precise application, without smudging, for perfect results. The addition of water-repellant waxes gives wood waterproof properties, preventing water absorption but allowing natural perspiration.

**UV PROTECTION + WAX**



10-12 m<sup>2</sup>/l



**brush application**



**recoatable after 3 hours**

Transparent FINISHES, acrylic based, complete the range: available in GLOSSY version, code 0715 FLATTING HYDRO, and in MATT version, code 0716 MATT FLATTING HYDRO.

PRODUCT	code	colour
<b>NATUR WOOD</b> Code 0869	0000	TRANSPARENT
	4485	PINE
	5316	LIGHT OAK
	5317	LIGHT NUT
	5318	NUT
	5319	DARK NUT
	5320	DOUGLAS
	5321	TEAK
	5322	PALISANDER
	5323	EBONY
	5324	CHESTNUT
	5325	OAK
	7583	MAHOGANY
<b>NATUR WOOD PLUS</b> Code 0814	0000	TRANSPARENT

PRODUCT	code	colour
<b>FLATTING HYDRO</b> Code 0715	0000	TRANSPARENT
<b>MATT FLATTING HYDRO</b> Code 0716	0000	TRANSPARENT





# SOLVENT BASED WOOD SOLUTIONS

## PRATIK WOOD code 1441



Solvent based wood stain with **UV filter** to protect wood from sunlight and weathering. Its **tixotropic** aspect allows a precise application, without smudging, for perfect results.

### UV PROTECTION



10-12 m<sup>2</sup>/l



brush application



recoatable after 10 hours

## PRATIK WOOD PLUS code 1449



Solvent based wood stain with **UV filter** to protect wood from sunlight and weathering. Its **tixotropic** aspect allows a precise application, without smudging, for perfect results.

The addition of **water-repellant waxes** gives wood waterproof properties, preventing water absorption but allowing natural perspiration.

### UV PROTECTION + WAX



10-12 m<sup>2</sup>/l



brush application



recoatable after 10 hours

## STAINED WAX code 1359



Semi-matt wood stain based on alkydic resins, **waxed effect**.



5-6 m<sup>2</sup>/l



brush or spray gun application



Dilution with 5-10%, code con 1602



recoatable after 14 hours

Transparent FINISHES, alkyd based, complete the range: available in GLOSSY version, code 1312 FLATTING, and in MATT version, code 1309 MATT FLATTING.



PRODUCT	code	colour
<b>PRATIK WOOD</b> Code 1441	0000	TRANSPARENT
	4485	PINE
	5316	LIGHT OAK
	5317	LIGHT NUT
	5318	NUT
	5319	DARK NUT
	5320	DOUGLAS
	5321	TEAK
	5322	PALISANDER
	5323	EBONY
	5324	CHESTNUT
<b>STAINED WAX</b> Code 1359	5325	OAK
	7583	MAHOGANY
	0000	TRANSPARENT
<b>PRATIK WOOD PLUS</b> Cod. 1449	0000	TRANSPARENT

PRODUCT	code	colour
<b>FLATTING</b> Code 1312	0000	TRANSPARENT
<b>MATT FLATTING</b> Code 1309	0000	TRANSPARENT



PAINT AND COATING SOLUTIONS FOR DECORATIVE,  
FIRE PROTECTION, INDUSTRY, CAR REFINISH  
AND MARINE MARKET SECTORS

**IMPACT SpA**

Via Crevada, 9/E

31020 • San Pietro di Feletto (Treviso), Italy  
tel +39 0438 4548 • fax +39 0438 454915

**info@impa.it**  
**www.impa.it**



**DISTRIBUTOR**

