

## 2012 DILUENTE PER SFUMATURE



### Description and Use

Ideal product for dissolving paint fumes in clear or direct gloss finishing cycles. Its use facilitates the blending and polishing of new and existing paint.

### Application

#### Application method:

- Apply 1 or 2 coats of SHADES THINNER code 2012, wetting the area of the spray fumes until the opaque area is reached.
- Wait for the thinner to evaporate completely and the affected area to dry before starting the polishing phase.

#### Using the adjustable nozzle:

The cans have the possibility of adjusting the quantity of thinner by turning the dispenser button clockwise or counterclockwise to move from position I to III and vice versa, as shown in the figure.

Quantity of SPRAY SHADER THINNER code 2012 dispensed: I low, II medium, III high.



---

## Storage life

If stored in a cool, dry place, away from sources of heat and sheltered from sunlight, in its sealed original packaging, the product has a shelf life of 60 months. Check the product's shelf life by referring to the production batch number shown on the packaging. The batch number is made of eight numeric characters in which the first four digits identify the year and month of production. Once the product has expired, it must be disposed of in accordance with the current legislation.

---

## Warnings

- For professional use only.
- Always refer to the safety data sheet for the relevant products.
- Solvents or thinners used for cleaning tools, as well as any product residues, must not be released into the environment or poured down domestic drains. The recipient/product/thinner or cleaning solvent must be disposed of in accordance with national regulations.
- It is recommended to acquire all the material required to finish the work of the same batch.
- The information provided on this technical datasheet is based on our technical and practical knowledge and experience. The technical data refer to the average characteristics of the basic product and are determined under controlled laboratory conditions. The variability of the raw materials available on the market can lead to slight deviations in the declared values. It is therefore necessary for the purchaser/user to personally verify, before application, the suitability of the product for the intended use, in particular when different batch numbers of the same material are used in the same work/site.

The above mentioned data are meant to facilitate our customers in the use of our products. IMPA is not responsible for applications of products carried out beyond its direct control. For further technical information about specific systems and/or special applications, please contact our TECHNICAL SERVICE at [assistenza.technica@impa.it](mailto:assistenza.technica@impa.it).